

Exelpet EZY-DOSE Intestinal All-wormer Chews

exelpet

for small dogs and puppies

Label



Instructions

Product Guide

INSTRUCTIONS:

Dosage and Administration Exelpet Ezy-Dose Intestinal All-Wormer for Small Dogs and Puppies is given as a single dose by mouth. Your dog will readily accept these tasty chews offered by hand. Break the chew into pieces for dogs that normally swallow treats whole as chewing should be encouraged. Fasting, purging, or the use of special diets prior to dosing is not necessary. To avoid underdosing and to ensure the worming treatment is effective, it is essential to weigh your dog accurately and dose according to bodyweight.

FIRST AID:

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

FEEDING/DISPENSING GUIDE:

Bodyweight: Up to 5kg Tasty Chews: 1 chew
Bodyweight: 5.1kg - 10kg Tasty Chews: 2 chews

INDIVIDUAL PRODUCT SIZE:

N/A

PRODUCT TYPE:

Chew

FEEDING INSTRUCTIONS:

EXELPET™ EZY-DOSE™ Intestinal All-Wormer Chews for Small Dogs & Puppies are given as a single dose by mouth.

FEEDING GUIDE BASED ON:

N/A

PACK TYPE:

Carton

PRODUCT RECOMMENDATION:

We recommend regular treatment to keep your pet free from potentially dangerous worms. Exelpet Ezy-Dose Intestinal All-Wormer for Small Dogs and Puppies may be combined with other treatments such as heartworm prevention, flea or tick treatments.

PRODUCT WARNING:

For animal treatment only. Keep out of reach of children.

TREATMENT FREQUENCY:

Dogs can be reinfested with worms from other pets or from their surroundings, therefore treatment should be repeated regularly. Follow the treatment frequency recommendations in the following table and worm all your pets at the same time to maximise protection.

Puppies to 12 Weeks of Age: Treat at 2, 4, 8 and 12 weeks for: - Roundworm - Hookworm. Puppies & Dogs From 12 Weeks of Age: Treat every 6 weeks for: - Hydatid Tapeworm (Dogs should not be fed, or allowed to feed on, raw offal from any species). - Whipworm Treat every 3 months for: - Roundworm - Hookworm - Other Tapeworms

Pregnant Bitches: Treat at mating, before whelping and then every 3 months. This treatment kills worms present in the gut, at the time of treatment. Immature hookworms in the migratory stage may not be affected. In specific cases where infestation is particularly heavy or many dogs are housed together more frequent treatment may be required. If worm problems persist, consult a veterinarian.